

Factor FVIII Deficiency - 2023

Contents

Factor FVIII Deficiency - Statistics Canada age groups	2
Factor FVIII Deficiency - Patients with an active inhibitor, Statistics Canada age groups	4
Factor FVIII Deficiency - Pediatric and Adult age groups	5

Note: Prior national demographic reports were produced from the Canadian Hemophilia Registry. Beginning with 2018, these reports are now produced from the Canadian Blood Disorders Registry, which covers all of Canada except British Columbia. Numbers for British Columbia were retrieved separately and added to the CBDR totals.

Factor FVIII Deficiency - Statistics Canada age groups

Coverage: All of Canada

Data source: CBDR, BC iChip

Year: 2023

Note: Inhibitor patients are included in this table

Severity	GenderCode	Age Group											Total
		0-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
Severe	Male	57	99	127	246	231	187	90	72	33	9	3	1,154
Severe	Female	0	0	0	4	0	0	0	0	0	0	0	4
Severe	Total	57	99	127	250	231	187	90	72	33	9	3	1,158
Moderate	Male	10	18	25	54	55	55	41	41	20	15	2	336
Moderate	Female	1	0	0	1	0	1	0	0	0	0	0	3
Moderate	Total	11	18	25	55	55	56	41	41	20	15	2	339
Mild	Male	43	52	86	210	261	296	216	227	227	143	64	1,825
Mild	Female	1	6	4	14	19	24	21	20	9	4	1	123
Mild	Unknown	0	0	2	0	0	0	0	0	0	0	0	2
Mild	Total	44	58	92	224	280	320	237	247	236	147	65	1,950
Unknown	Male	1	1	0	1	1	2	2	3	2	0	2	15
Unknown	Female	0	1	0	4	11	7	5	3	5	2	0	38
Unknown	Total	1	2	0	5	12	9	7	6	7	2	2	53
Not Applicable	Male	0	0	1	0	0	0	0	0	0	0	0	1
Not Applicable	Female	0	0	0	1	3	1	1	2	0	0	0	8
Not Applicable	Total	0	0	1	1	3	1	1	2	0	0	0	9
Normal	Female	0	0	0	1	0	0	0	0	0	0	0	1
Normal	Total	0	0	0	1	0	0	0	0	0	0	0	1

		Age Group											
Severity	GenderCode	0-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	Total
Total	-	113	177	245	536	581	573	376	368	296	173	72	3,510

Factor FVIII Deficiency - Patients with an active inhibitor, Statistics Canada age groups

Coverage: All of Canada Excluding British Columbia

Data source: CBDR

Year: 2023

All patients with an active inhibitor during 2023. Defined as a new inhibitor in 2023 or the most recent status from prior two years was positive at start of the year.

Severity	GenderCode	Age Group										
		0-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	Total
Severe	Male	6	10	8	8	6	4	3	3	1	1	50
Severe	Total	6	10	8	8	6	4	3	3	1	1	50
Moderate	Male	1	1	0	2	1	0	1	1	0	1	8
Moderate	Total	1	1	0	2	1	0	1	1	0	1	8
Mild	Male	0	0	2	1	1	0	4	2	0	0	10
Mild	Total	0	0	2	1	1	0	4	2	0	0	10
Total	-	7	11	10	11	8	4	8	6	1	2	68

Factor FVIII Deficiency - Pediatric and Adult age groups

Coverage: All of Canada

Data source: CBDR, BC iChip

Year: 2023

Note: Inhibitor patients are included in this table

		Age Group		
GenderCode	Severity	under 18	18 and over	Total
Male	Severe	351	803	1,154
Male	Moderate	70	266	336
Male	Mild	241	1,584	1,825
Male	Unknown	3	12	15
Male	Not Applicable	1	0	1
Male	Total	666	2,665	3,331
Female	Severe	2	2	4
Female	Moderate	1	2	3
Female	Mild	15	108	123
Female	Unknown	3	35	38
Female	Not Applicable	0	8	8
Female	Total	22	155	177
Female	Normal	1	0	1
Unknown	Mild	2	0	2
Unknown	Total	2	0	2
Total	-	690	2,820	3,510