

Factor FVIII Deficiency - 2021

Contents

Factor FVIII Deficiency - Statistics Canada age groups	2
Factor FVIII Deficiency - Patients with an active inhibitor, Statistics Canada age groups	4
Factor FVIII Deficiency - Pediatric and Adult age groups	5

Note: Prior national demographic reports were produced from the Canadian Hemophilia Registry. Beginning with 2018, these reports are now produced from the Canadian Blood Disorders Registry, which covers all of Canada except British Columbia. Numbers for British Columbia were retrieved separately and added to the CBDR totals.

Factor FVIII Deficiency - Statistics Canada age groups

Coverage: All of Canada

Data source: CBDR, BC iChip

Year: 2021

Note: Inhibitor patients are included in this table

		Age Group											
Severity	GenderCode	0-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	Total
Severe	Male	52	104	121	233	223	164	87	65	31	9	1	1,090
Severe	Female	0	0	1	3	0	0	0	0	0	0	0	4
Severe	Total	52	104	122	236	223	164	87	65	31	9	1	1,094
Moderate	Male	7	19	25	50	49	48	40	38	17	14	1	308
Moderate	Female	1	0	0	1	0	1	0	0	0	0	0	3
Moderate	Total	8	19	25	51	49	49	40	38	17	14	1	311
Mild	Male	24	50	86	206	254	278	200	240	204	115	54	1,711
Mild	Female	1	1	4	11	21	19	23	16	7	3	1	107
Mild	Unknown	0	0	2	0	0	0	0	0	0	0	0	2
Mild	Total	25	51	92	217	275	297	223	256	211	118	55	1,820
Unknown	Male	1	1	0	3	4	4	2	3	2	0	2	22
Unknown	Female	0	0	0	3	8	4	6	2	4	1	0	28
Unknown	Total	1	1	0	6	12	8	8	5	6	1	2	50
Not Applicable	Male	0	1	0	0	0	0	0	0	0	0	0	1
Not Applicable	Female	0	0	0	1	2	2	2	2	0	0	0	9
Not Applicable	Total	0	1	0	1	2	2	2	2	0	0	0	10
Normal	Female	0	0	0	1	0	0	0	0	0	0	0	1
Normal	Total	0	0	0	1	0	0	0	0	0	0	0	1

		Age Group											
Severity	GenderCode	0-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	Total
Total	-	86	176	239	512	561	520	360	366	265	142	59	3,286

Factor FVIII Deficiency - Patients with an active inhibitor, Statistics Canada age groups

Coverage: All of Canada Excluding British Columbia

Data source: CBDR

Year: 2021

All patients with an active inhibitor during 2021. Defined as a new inhibitor in 2021 or the most recent status from prior two years was positive at start of the year.

		Age Group										
Severity	GenderCode	75-84	5-9	10-14	15-24	25-34	0-4	45-54	55-64	35-44	65-74	Total
Severe	Male	2	5	9	16	6	8	5	3	3	2	59
Severe	Total	2	5	9	16	6	8	5	3	3	2	59
Moderate	Male	1	0	1	2	0	1	0	0	1	1	7
Moderate	Total	1	0	1	2	0	1	0	0	1	1	7
Mild	Male	0	0	1	1	1	0	2	3	0	0	8
Mild	Total	0	0	1	1	1	0	2	3	0	0	8
Total	-	3	5	11	19	7	9	7	6	4	3	74

Factor FVIII Deficiency - Pediatric and Adult age groups

Coverage: All of Canada

Data source: CBDR, BC iChip

Year: 2021

Note: Inhibitor patients are included in this table

		Age Group		
GenderCode	Severity	under 18	18 and over	Total
Male	Severe	345	745	1,090
Male	Moderate	61	247	308
Male	Mild	218	1,493	1,711
Male	Unknown	2	20	22
Male	Not Applicable	1	0	1
Male	Total	627	2,505	3,132
Female	Severe	2	2	4
Female	Moderate	2	1	3
Female	Mild	8	99	107
Female	Unknown	1	27	28
Female	Not Applicable	0	9	9
Female	Total	14	138	152
Female	Normal	1	0	1
Unknown	Mild	2	0	2
Unknown	Total	2	0	2
Total	-	643	2,643	3,286